

SOLAR ROAD STUD

Professional Solar Traffic Safety Products Manufacture Since 2001





Solar Road Studs: NK-RS-A6



Solar Road Studs: NK-RS-A6-1



Solar Road Studs:NK-RS-A8



Solar Road Studs: NK-RS-C1



NOKIN TRAFFIC FACILITIES CO., LIMITED

E-mail: info@roadstudlight.com http://www.roadstudlight.com

Solar Road Stud - NK-RS-A1

With more than 15 years of factory experience, aluminum solar road stud produced by our company owns competitive aluminum road stud price and offers more choice to global traffic road safety market and trustworthy partners all over the world.





Material: Aluminum+PC

Power supply: Monocrystalline solar panel

2.5V/120MA for NI-MH; 5V/60MA for lithum battery;

Battery: NI-MH 1.2V/ 600mah(high temperature resistance);

Lithum battery 3.2V/500MA

Lens: PC

LED: Ultra bright diameter 5mm(6pcs)

LED color: Red, Yellow, Green, Blue, White

Working model:Blinking or constant(charged at daytime, working automatically at night)

Working hours:

(1).Blinking:140hours for NI-MH battery; 130hours for lithum battery;

(2). Constant: 40hours for NI-MH battery; 35hours for lithum battery;

Visual distance:>800m

Water proof: IP68

Resistance:20T

Life span: 2 years for NI-MH battery;

5 years for Lithum battery;

Size:L108mm*W97mm*H25mm

Packing:2pc/box;60pcs/ctn

Carton size:58.5*24.5*18.5cm

Weight:21kgs/ctn

Solar Road Stud - NK-RS-A6

Active emission of led solar road stud can not only prevent mist interference in the largest extent, but get rid of the dependence of the drivers on car lights with farther and better visual distance.





Material: Aluminum+PC

Power supply: Monocrystalline Solar Panel

2.5V/150MA for NI-MH; 5V/60MA for lithum battery;

3V/120MAH for super capacitor

Battery: NI-MH 1.2V/600mah(high temperature resistance);

Lithum battery 3.2V/500MA Super capacitor 2.3V/120F

Lens: PMMA(ASTM D4280 & EN 1463-1 standard)

LED: Ultra bright diameter 8mm(6pcs)

LED color: Red, Yellow, Green, Blue, White

Working model: Blinking or constant(charged at daytime, working automatically at night)

Working hours:

- (1).Blinking:140hours for NI-MH battery; 130hours for lithum battery; 30hours for super capacitor after fully charged
- (2). Constant: 40hours for NI-MH battery; 35hours for lithum battery; 15hours for super capacitor after fully charged

Visual distance:>800m

Water proof: IP68

Resistance:20T

Life span: 2 years for NI-MH battery:

5 years for Lithum battery;

10 years for 120F super capacitor

Size: L123mm*W133mm*H22+55mm

Packing: 1pc/box;45pcs/ctn Carton size: 66.5*44*28cm

Weight: 30kgs/ctn

Solar Road Stud - NK-RS-A6-1

With over 15 years experience in this line, professional solar road stud manufacturer. Any inquiries will be replied within 24 hours.





Material: Aluminum+PC

Power supply:USA Brand High Efficient Solar Panel

2.5V/150MA for NI-MH; 5V/60MA for lithum battery;

3V/120MAH for super capacitor

Battery: NI-MH 1.2V/600mah(high temperature resistance);

Lithum battery 3.2V/500MA Super capacitor 2.3V/120F

Lens: PMMA(ASTM D4280 & EN 1463-1 standard)

LED: Ultra bright diameter 5mm(4pcs or 6pcs)

LED color: Red, Yellow, Green, Blue, White

Working model:Blinking or constant(charged at daytime, working automatically at night)

Working hours:

- (1).Blinking:140hours for NI-MH battery; 130hours for lithum battery; 30hours for super capacitor after fully charged
- (2). Constant: 40hours for NI-MH battery; 35hours for lithum battery; 15hours for super capacitor after fully charged

Visual distance:>800m

Water proof: IP68

Resistance:>30T(can be installed in the middle of road)

Life span: 2 years for NI-MH battery;

5 years for Lithum battery;

10 years for 120F super capacitor

Size:125*107*25+50mm

Packing:1pc/box;45pcs/ctn

Carton size:66.5*44*28cm

Weight:27kgs/ctn

Solar Road Stud - NK-RS-A8

We specialize in roadway safety industry for more than 15 years. The solar studs produced by our company have been exported to many countries, including America, Canada, Costa Rica, Chile, Philippines, Ireland, Mozambique, Nigeria, South Africa, Australia and so on.





Material: Tempered Glass

Power supply: Monocrystalline Solar Panel

2.5V/150MA for NI-MH; 5V/60MA for lithum battery;

3V/120MAH for super capacitor

Battery: NI-MH 1.2V/600mah(high temperature resistance);

Lithum battery 3.2V/500MA Super capacitor 2.3V/120F

LED: Ultra bright diameter 5mm(6pcs)

LED color: Red, Yellow, Green, Blue, White

Working model:Blinking or constant(charged at daytime, working automatically at night)

Working hours:

- (1).Blinking:140hours for NI-MH battery; 130hours for lithum battery; 30hours for super capacitor after fully charged
- (2). Constant: 40hours for NI-MH battery; 35hours for lithum battery; 15hours for super capacitor after fully charged

Visual distance: >800m

Water proof: IP68

Resistance: 20T

Life span: 2 years for NI-MH battery;

5 years for Lithum battery;

10 years for 120F super capacitor

Size: Dia108*60mm

Packing: 1pc/box;45pcs/ctn Carton size: 56*23*16cm

Weight: 21kgs/ctn

Solar Road Stud - NK-RS-C1

We are solar road studs manufacturers and we have our own laboratory, professional tests for products, constantly optimize the product performance to meet the needs of customers. We ensure brand quality and good reputation.





Material: PC

Power supply: Monocrystalline solar panel

2.5V/120MA for NI-MH;

5V/60MA for lithum battery;

Battery: NI-MH 1.2V/600mah(high temperature resistance);

Lithum battery 3.2V/500MA

LED: Ultra bright diameter 5mm(6pcs or 10pcs)

LED color: Red, Yellow, Green, Blue, White

Working model:Blinking or constant(charged at daytime, working automatically at night)

Working hours:

(1).Blinking:140hours for NI-MH battery; 130hours for lithum battery;

(2). Constant: 40hours for NI-MH battery; 35hours for lithum battery;

Visual distance:>800m

Water proof: IP68

Resistance:20T

Life span: 2 years for NI-MH battery;

5 years for Lithum battery;

Size:Φ122×25 mm


Packing:2pc/box;60pcs/ctn

Carton size:67.5*28*20cm

Weight: 17kgs/ctn

Solar Road Stud - NK-RS-D1

We are professional and comprehensive solar road stud suppliers, and we have our own factory, so we can offer factory-direct price, strict QC before products shipping out. Our products include solar road studs, reflective road studs, solar road markers, etc. We also provide good after service.





Material: Aluminum+PC

Power supply: Monocrystalline solar panel

2.5V/120MA for NI-MH;

5V/60MA for lithum battery;

Battery: NI-MH 1.2V/600mah(high temperature resistance);

Lithum battery 3.2V/500MA

Lens: PC

LED: Ultra bright diameter 5mm(4pcs or 6pcs)

LED color: Red, Yellow, Green, Blue, White

Working model:Blinking or constant(charged at daytime, working automatically at night)

Working hours:

(1).Blinking: 140hours for NI-MH battery: 130hours for lithum battery:

(2). Constant: 40hours for NI-MH battery; 35hours for lithum battery;

Visual distance:>800m

Water proof: IP68

Resistance:20T

Life span: 2 years for NI-MH battery;

5 years for Lithum battery;

Size:104*104*20mm

Packing:2pc/box;60pcs/ctn

Carton size:58.5*24.5*18.5cm

Weight:21kgs/ctn